concert or active participation with, or on their behalf, or within their control, from making, using, selling, offering for sale, importing or distributing any infringing lawn mowers and from infringing, contributing to the infringement of, and inducing infringement of United States Patent Nos. 6,047,530, 6,336,311, and 6,336,312, and for all further and proper injunctive relief;

- E. That the Court order an accounting to determine the damages to be awarded to Plaintiff as a result of Defendant's infringement;
- F. That the Court, pursuant to 35 U.S.C. § 284, enter an award to Plaintiff of such damages as it shall prove at trial against Defendant that are adequate to compensate Plaintiff for said infringement, said damages to be no less than a reasonable royalty together with interest and costs;
- G. That the Court assess pre-judgment and post-judgment interest and costs against Defendant, together with an award of such interest and costs, in accordance with 35 U.S.C. § 284;
 - H. That the Court award Plaintiff treble damages pursuant to 35 U.S.C. §284;
- I. That the Court declare this case to be exceptional and direct Defendant to pay Plaintiff's attorneys' fees incurred in connection with this lawsuit pursuant to 35 U.S.C. § 285 or other applicable law; and
- J. That the Court grant to Plaintiff such other, further, and different relief as may be just and proper under the circumstances.

JURY DEMAND

Plaintiff demands a trial by jury of all matters to which it is entitled to

trial by jury pursuant to FED. R. CIV. P. 38.

THE BAYARD FIRM

Dated: July 12, 2005

Edmond DeJohnson (No. 2257)
Peter B. Ladig (No. 3513)
222 Delaware Ave.
Suite 900
Wilmington, DE 19801
ejohnson@bayardfirm.com
pladig@bayardfirm.com
(302) 655-5000
Attorneys for Plaintiff

Textron Innovations Inc.

OF COUNSEL:

Scott L. Robertson Christopher C. Campbell HUNTON & WILLIAMS LLP 1900 K Street, N.W. Washington, DC 20006-1109 Telephone: (202) 955-1500

IN THE UNITED STATES DISTRICT COURT FOR THE DISTRICT OF DELAWARE

TEXTRON INNOVATIONS INC.,)
Plaintiff,)
v.) C. A. No. 05-486 (GMS)
)
THE TORO COMPANY,)
Defendant.	<i>)</i>)

DECLARATION OF FRED EBERLEIN

- I, Fred Eberlein, based on personal knowledge, hereby declare as follows:
- 1. My name is Fred Eberlein. I live at 920 Dogwood Circle, Macon, GA 31210. I am 46 years old. I have not been paid or received any compensation for my testimony below.
- 2. I am currently employed by Jerry Pate Turf & Irrigation, Inc. I sell turf and irrigation products and services to golf courses and the like. I am not employed by The Toro Company or any of its subsidiaries.
- 3. I was employed by Lesco Co., a competitor of Toro, from 1985 to 1993. I held a number of sales positions while at Lesco and worked on new product development while at Lesco. During my time at Lesco, it had about 750 employees. The equipment manufacturing group that was working on new product development was located in Sebring, Florida. I was also located in Sebring while employed by Lesco.
- In 1987, Lesco was making and selling a product called the Lesco 500. It was a 4. reel mower having two reels in front of the mower's front tires, with a third reel immediately behind the front tires and aligned with the gap between the two front reels so that a contiguous

cutting swath was cut by the combination of the three reels. We called the third reel the "center cutting" unit. The Lesco 500 also had two outrigger reels on the left and right side of the mower that were rearward of the belly mounted reel but forward of the rear wheel of the mower and outward of the two front reels. The result was approximately a 100 inch contiguous cutting swath cut by the combination of the five reels. This configuration of cutters is called a 5-plex because it has five reel mowers on one tractor or moveable unit. Attached as Exhibit A is a true and correct copy of the manual for the Lesco 500 reel unit.

- 5. In 1987, Lesco began designing a 5-plex rotary mower that eventually was called the Lesco 500 Rotary. Lesco designers began with the Lesco 500 reel mower shown in the manual attached as Exhibit A and described above. Lesco replaced each of the five reels with individual rotary cutting decks positioned where the reels had been positioned. A rotary cutting deck, in contrast to a reel, has a spindle or shaft that rotates and has one or more turf cutting blades attached to the spindle or shaft. In the Lesco 500 Rotary, each of the decks had one spindle with an associated rotary blade.
- In late 1987 and early 1988, the Lesco 500 Rotary was used to cut turf on at least three golf courses in Florida - Spring Lake, Sebring, and Prairie Oaks. I operated the mower at Prairie Oaks. The mower was in public view in transporting it to or from the golf courses and in its use on each golf course. No confidentiality agreement or other promise of secrecy was entered into with any of the three courses. Each of these uses occurred before Lesco took the 500 Rotary to the Golf Course Superintendents Association of America ("GCSAA") tradeshow in February 1988 in Houston, Texas.
- 7. Lesco showed the 500 Rotary mower at the 1988 GCSAA show in Houston, Texas. The tradeshow occurred in February 1988. I vividly remember both that show and the 500 Rotary being at the show because I personally loaded the 500 Rotary mower on a truck and

drove the truck to and from the show and unloaded the truck, by hand. I also did the specifications for the stage on which the unit sat and purchased the carpet and even stapled it to the stage.. While at the show, my wife called to tell me that we were going to have a baby. Our son's birthday is 9/30/1988.

- 8. Lesco had a booth at the 1988 GCSAA show. The 500 Rotary was placed on a stage in the middle of our booth because it was our latest and most exciting product. One of the rotary decks was taken off one of the outriggers and a reel mower was reinstalled to demonstrate the exchangeability of the product between reel and rotary cutters. The other four decks were rotary decks, as described above.
- 9. The 500 Rotary drew a lot of attention at the 1988 GCSAA show. Many people came through the booth, looked at the 500 Rotary and asked lots of questions. The 500 Rotary was displayed throughout the entire show, which lasted for several days.
- The 500 Rotary was also shown at the Florida Turf Grass Association annual 10. show in Tampa, Florida, in late 1988. I attended that show as did several other Lesco employees and many non-Lesco employees, including distributors, golf course superintendents, and other potential customers.
- The Lesco 500 Rotary included a frame having two front wheels and one rear 11. wheel, an engine mounted on the frame which drove all three of the wheels, a seat mounted on the frame, and a steering system that enabled the operator to steer the mower. All of these features are shown in the manual at Exhibit A. The features were not changed on the 500 Rotary.
- The 500 Rotary included two side-by-side front rotary cutting decks mounted on 12. the frame in front of the front wheels. The front decks had a gap between them. Photographs of

the 500 Rotary shown at the 1988 GCSAA show are attached at Exhibit B and show this feature. When operating, the front decks cut two side-by-side swaths or paths in the turf

- The 500 Rotary included one rear rotary cutting deck, called the "center cutting" 13. unit, that was mounted on the frame behind the front decks and between the front and rear wheels. The center cutting deck was aligned with the gap between the front decks so that when in operation it cut the turf uncut in the area between to two front decks. The photographs at Exhibit B also show the center cutting deck.
- 14. Each of the rotary cutting decks on the Lesco 500 Rotary were single-spindle cutting decks having a downwardly opening space and a single spindle, or shaft, mounted for rotation about a generally vertical axis within the space. A hydraulic motor was mounted on the decks and was connected to the spindle or shaft. The spindle or shaft had one cutting tool, a cutting blade, mounted on the spindle for rotation. Photos at Exhibit B also show these features.
- I vividly recall that the rotary cutting decks included a full-width, green, rear 15. roller that was attached at the rear of the cutting decks. The rear roller is not visible from the photographs at Exhibit B, however I distinctly recall showing the full width rollers at the 1988 and 1989 Florida Turf Grass Association shows.
- 16. Each of the rotary cutting decks was mounted to the frame by a lifting arm that allowed the decks to be lifted relative to the frame. This is shown by the photographs in Exhibit B.
- The bogey wheels were approximately 2 inches in width. The bogey wheels are 17. seen in Exhibit B. Looking from front to back of the decks, the front bogey wheels were inside of the outer ends of the rear roller.

I declare under penalty of perjury that the foregoing is true and correct.


3/14/06 Date

Fred Eberlein

The LESCO 500D Fairway Mower

Exploded View Drawings and Parts Lists

(For 500D Fairway Mowers manufactured after 10-3-90, Serial No. 5DC1267 and above.)




with oil Cooler


MOWER:	Model No.	Serial No.
ENGINE:	Model No	Specification No.
ENGINE:	Serial No	




	EXHIBIT	7
anna .	A	




No. No.	Z Z	2	6 0	,	-	· •	4 T	N (Ν;	ι :	-	-	7	<u>. </u>	· ·	N 1	 :	- 1 :	N (rv :	:	:	• · :	• • :	- -	- -	7	· -	,.	. :	-	<u>-</u> :	-	<u>-</u> :	۲۹ :	:	~	; c	:	N •	- c	:
## # # # # # # # # # # # # # # # # # #	Description	Gaskel	Cap Screw, 5/16-18 x 1/2 Button Socket Hd.	Beel Shaff Bearing Housing — L.H.	Carlo Charles Described Movement of M.	ABBI CHRIST DEBING TOUBLING THE TANK TH	Hex Nut, 5/16-18 Nylock	Roller Adjustment Rod	Hex Nut, 5/16-18,	Greaus Fitting, 1/8 NPT Straight	Front Roller Adjusting Knob	Cap Screw, 3/8-16 x 1-1/4 Hex Hd	;	Carriage Bolt, 5/16-18 x 1-3/4	Frant Roller Bracket — L.H.	Front Holler Bracket - R.H. (not shown)	Set Screw, 1/4-20 x 3/4 Sq. Hd	Rataining Ring — 2/4" Shaft	Real Motor Spacer	Cap Scraw, 5/18-18 x 1 Washer Hd	Cap Scrow, 5/16-18 x 3/4 Socket Hd	Reel Matar Adapter	Reel Motor Coupling	Flat Washer, 5/16	Cap Screw, 5/16-18 x 3/4 Hex Hd.	Real Motor	Lower Opting bracket, highlings Cutting Citi.	Coxet Spring Standard Late and College Com (not missed)	First Roller Shaft	Rollar Winer Assaubly	Grooved Roller Assembly 3" Dia, Complete (optional)	Front Roller Assembly 3-1/2" Dia. Complete	Rear Roller Assembly 2" Dia. Complete	Reel B-Blade, Heavy Duly	Grass Catcher	Hex Nut, 3/4:16 Jam	OutorSee		Zip6V6	Inner voes	End Plug, Roller	Hex Nut, 3/4-16 Nylock	BUSTRO, 1 x 1-1/4 x //5
	LESCO No.	025011	012131	A12178	001210	0000	012165	012213	012166	012238	012145	011444	025338	012170	021414	021429	011448	011896	097145	012440	012177	025121	012089	012169	012179	012040	022324	0.000	070548	0.25018	082535	046597	006468	018594	025491	010328	905.380	900000	2200	20225	006588	008928	
Nac	E d	1	45	, 4	ę s	4	49	ያ	5	25	13	¥	52	\$3	21		88	28	8	5	62	8	Z	65	88	67	8	8	8 8	? ;	3 2	: 2	7.	12	78	2.2	: 2	٤ ;	8.	8	20	83	2
					012164 Hex Nut, 8-32 Nylock	008462 Rear Roller Tube with End Plugs	008474 Roller BearingRaer Roller			Bear Boller Mounting Boll	Boll Pin 1/8 x 3/4	Rear Roller Shaft with Boll Pins	Racking Bar	Can Screw, 7/16-20 x 1 Hex Hd.	Redknife, Heavy Duty	Bedknife Screw			Hex Nut. 1/4:20	Hex Nut. 5/8-18 Nyfock		Bushler 1 x 1.1/4 x 1.1/4					010869 Flat Washer, t	025521 Pivol Neck Assembly, Lift Am			Cap Screw, 3/8-15 x 1 Hex Hd	Shoulder Bolt, 1/2 Dia. x 1/2 Long			Cap Scraw, Scior to x 2-104 man	Cap Screw, 3/8-24 x 1/2 Hex Hd.	_	008477 Seal, Counterweight	012146 Counterwelghtt	011266 Oli Seal 1		-	•



	0000	The second secon	COS#1 140	No
Ž	N O	Description	No. No.	Description
•		Main Frame Assembly	59 012209	Boll Pin, 3/16 x 1-1/4
	719674	Key Self-or John and Washed	50 060017	Spacer Washer, 3/4 i.D
1 6	045030	Dubbar Dod	61 011445	Cap Screw, 3/8-16 x 1-1/2 Button Hd
· ·	0.000	2	025067	Speed Control Spring Betainer
4	012171	Cap Scraw, 3/8-16 x 1 Hex Hd	90000	Outside Contract Operation
r)	012157	Lock Washer, 3/8 5	67 014148	Speed County to be a second to the second to
Φ	012116	Mow/Lift flod End Bearing, 3/8-24 NF	12041	Speed Convolvative
~	012134	Cab Screw, 1/4-20 x 3/4 Hex Hd	01216	Lock Washer, S16
- 100	012173	Hex Mill 308-16 Nylock	66 012180	Cap Screw, 5/16-18 x 1 Hex Hd 4
	00000	The state of the s	67 012179	Cap Screw, 5/16-18 x 3/4 Hex Hd
n (0,000	SCHOOL TAILS AND DESCRIPTION OF THE PROPERTY O	012165	Flat Washer, 5/16
2	000018	Grease Filling, 174-40, Sitalgate,	025236	Brake Shaft Support Bracket - R.H.
Ξ	012403	Bushing, NZ x 5/6 x 3/4	2000	Druke Interior Arm
ŭ	025275	Mow/Lift Pedal Holder R.H	0201020	
ũ	012415	Shoulder Bolt, 1/2 Dia. x 2-1/2 Long	012214	Brake Clevis, 576-24
	52250	Mow/I if Padal Assembly	012167	Hex Nut, 5/16-24 NF 4
<u>.</u>	04346	10 to	025162	Brake Bod
2	01710	Tex Not, Certain Contract of the Contract of t	012101	Clayle Pin 5/16 x 15/16
\$	017428	Mow/Litt Pedal Hod		
#	012575	Cap Screw, 3/8-16 x 2-1/2 Hex Hd	500710 67	COLOR TILL TO A SO THE PARTY OF
Ę	025298	Front Stabilizer Spacer	09090	Adjust End
Đ	085759	Posi-Traction Switch, Floorboard	053836	Adjust, EndLH, Front Stabilizer (not snown)
5	012110	Steering Wheel Can.	77 025111	Arm, R.H. Front Stabilizer
3 6	012013	Stearton Wheel	025501	Arm, L.H. Front Stabilizer (not shown)
ij (212200	Constitute door Tooch Switch	78 042518	Carriage Bolt, 5/18-18 x 1-1/4
1	012020		02894F	Can Scraw, 1/4-20 x 2-3/4 Hex Hd.
R	013557	Toggle Switch	04.040	Cart Months 1/4
75	012128	Machine Screw, 1/4-20 x 1/2 Rd. Hd	200	COCK Western (4P) The contract of the co
52	017494	Lamp, Glow Plug1	02530	Brackel, Hoel Figw Divider
ķ	048316	Dash Board	025867	Flow Divider Spacer (Used It botts on Hel. 85 promos.)
2,0	012148	Warming John	83 090948	Flow Divider, Reel
ŭ i	200		02530	Tab. Real Flow Divider Bracket1
9 1	10000		01218	Hax Nut. 1/2/28 Jam.
₹.	710710	Hour Mailer	06140	Reflex Ovlinder Mount
8	012048	Hex Nut, 3/4-16 MF	90000	
ಕ	012045	Steering Column, 3*	JORACO JA	
R	019150	Power Steering Unit 1	03108	Camp, number coarde, 114
ន	012209	Holl Pin, 3/16 x 1-1/4 1	02547	
34	025135	Mow/Lift Unkage Arm1	90 025885	Parking Brake Assembly
*	025237	Brake Shaft Support Bracket[-H.	012031	Speed Confroi Pedal
8	010869	Flat Washer, 1" I.D. x 2" O.D.	92 012397	Cap Scraw, 5/16-18 x 2 Hex Hd
5	012212	Boll Din 3/16 x 1.12	012414	Skid Proof Fender Surface
Š	013610	Olocia 114 4 2014	025273	Hight Fender
3 8	012562	Option 10 20 2 4 2	025274	Left Fender (not shown)
73 9	015306	CONTEST FOR A SECTION AND A SE	172520	C Till Beal W
₹ :	012154		QA 0121R7	12.20 12.20
4	025217	The second secon	27730	Tire 20 x 10 00-8 4-Ply Pheumatic, Tubeless, Traction
4	012420	Speed Control Actuator	7.7.7	
\$	025283	Spacer, 1x 1-1/2 x 3/8	023570	
4	012590	Shoulder Bolt, 3/8 Dia, x f/2 Long	17570	Const Modern Country of the Country
4	025185	Speed Control Actuator Roller	0.00	Serio
4	012165	Hex Nut, 5/16-18 Nylock18	2	COCK Version and an experience of the contract
47	025232	Brake Podel	01148	Machine Soraw, 8-32 x 1/2 Ma, Ma,
₹	012208	3 Roll Pln, 2/16 x 1, 3	013112	Cap Screw, 5/16-18 x 1 SQ. Hd
\$	081665	Stop, Buffer Cylinder1	912011	
S	012152	Hex Nut, 1/4-20 Nytock	105 025279	Shroud, Left Side
7	025083	Latch, Parking Brake	060803	Clamp, Rubber Coated, 3/8"
23	012189	Cap Scraw, 1/4-20 x 1-3/4 Hex Hd.	011447	Cap Screw, 1/4-20 x 1 Hax Hd
53	025195	Mow/Lift Shaft Bracket	025380	Throttle Mounting Panel Assembly
ų,	011454	Hex Nut, 2/3/24 NF Nylock	01216	Hex Nut, 8:32 Nylock
ß	025045	Mow/Lift Connector 1	012148	Engine Intottie Conitot (includes not, 114)
8	012158	Flat Washer, 3/8	014818	Knob, Engine Throttle
57	012204	Cotter Pin, 3/32 x 3/4	01217	Screw, 10-16 x 1/2 Self-Tapping
83	025218	Mowil III Shaft Assembly	113 024014	Upper Coracie, Tits Spering
			114 014530	Cardsoe Boll E/18-18 X 1



No. Part P	Description Alr Cleaner Filar Element (not shown) Alr Cleaner Filar Element (not shown) Hose Alr Cleaner Key, 1/4 x 1/4 x 7/8 Fanged Bushing						
No. 2004.00	Description Alr Cleaner Alr Cleaner Filier Element (not strown) Alr Cleaner Filier Element (not strown) Hose Gamp Hose, Alr Cleaner Key, 1/4 x 1/4 x 7/8 Fanged Bushing		830	¥			
10 10 10 10 10 10 10 10	Alr Cleaner Filar Element (not shown) Alr Cleaner Filar Element (not shown) Hose Cleane Hose, Alr Cleaner Key, 1/4 x 1/4 x 7/8 Fanged Bushing				_	춫	Description
Control Fig. 19 Control Fi	Alr Coarser Filter Element (not shown) Breather Nourit Hose Clamp Hose, Alr Chebrer Key, 1/4 x 1/4 x 7/8 Fanged Bushing Fat Washer 1,1/2			tabilizer Bracket	117	008248	
Page	Breather Mount Hose Claim Hose, Alt Clearer Key, 14x 14x 78 Fanged Bushing			doe Trim, Black (Sold per foot)	31 118		
1995 1995	Hose Clamp Hose, Alt Cleaner Key, 14x 14x 78 Fanged Bushing Fanged Bushing		•	irm, Center Stabilizer	- 5		
100 101	Rose, All Consider Flory, 1/4 x 1/4 x 7/8 Flory and Bushing. Flor Worder 1-1/2			IQUIDINUM CITIL CATILUT CARLACKOT	121	ŗ	
12 WARPER 10 10 10 10 10 10 10 1	Figure 8 despire		_	ock Washer 1/4	7 122		Firemal Assembly
12 12 12 12 12 13 13 14 14 14 15 15 15 15 15	Flor Washer 1:10	_		38p Screw, 1/4-20 x 2-1/2 Hex Hd.	2 123		Cap Screw, 1/4-20 x 1-3/4 Hax Hd.
1	_		_	Ung Nipple, 1-1/4 NPT	2 2		-
Section 10				Ibow, 1-1/4 NFT x 45*	** :		-
13 12 12 12 13 13 13 13	Cap Screw, 3/8-16 x 1-1/4 Hex Hd.		_	30se Nippie, 1-1/4 NPT.	<u> </u>		
Control March March March March March Col (1980) Control March March March March March Col (1980) Control March March March March March March Col (1980) Control March Marc					121		Engine Mount, Heer
Continue			_	į	128		
Training bilds 17-15 Marker 17	Can Screw, 1/2-13 x 3-3/4 Hex Fit.			treet Elbow, 1-1/4 NPT x 80*	- 8		
Training the first 17 10 10 10 10 10 10 10	Har Net 1/2-13 Nefock	_	_	3ap Screw, 1/4-20 x 2 Hex Hd	2 28		
State Control Contro			-	low Divider, Post-Traction	131		
Harder Service 19 19 19 19 19 19 19 1	Conton Roll 5/18, 18 v 1-1/4			- 1	133	62.6	_
Properties of the Control of the C	Carling Cot, Old Cot of the Cot o			200 x 10	133	017496	
West State West					-		Lock Washer, M.6
Mark 1723 134							Meritar Contest
Wheel Start Location Wheel Start Location Start				İ	- 6		Like Mrt 1/1/20
The Note A Lobe Name Control March Contr				***************************************	,		764 704 174 20 1-514 Her Her
His Drive Wheel (14.1) Tradical Mater (14.2)	•			-			CARD SCREET, EXTENS AND LANGE LINE
Hub Drive National Places 18 20 2015 Hard Mark 18 20 2015 Hard Mark 19 2015 Hard Mark 10 2015 Hard	Hex Nut. 1-20. Traction Motor				•		CAD SCIENT, 9/10-10 A STREET THAT THE COMMISSION OF
Cap Scow, 1/2 i 3 x 1-34 Hai Hd. 80 102152 Hai Mu, 1/4-20 Myock 140 048953 Fair Washer, 1/2 60 50459 Frewall Bross 141 07270 Fair Washer, 1/2 60 50459 Frewall Bross 141 07270 Subsort, Sperking Ophiode 60 50459 Frewall Bross 141 07273 Subsort, Sperking Ophiode 60 50459 Frewall Bross 141 07273 Subsorting Ophiode 60 50209 Frewall Bross 141 07273 Cap Scraw, 164 Hd. 141 07274 141 07274 Cap Scraw, 164 Hd. 142 07274 142 07274 Flad Washer, 576 142 07274 143 07274 Flad Washer, 576 143 07274 144 07274 Cock Washer, 776 143 07274 144 07274 Cock Washer, 776 145 07274 145 07274 Cock Washer, 776 145 07274 144 07274 Mah Frank Assambly, 5000 145 0727 145 07074 Mah Frank Assambly, 5000 145 0727 145 07074 May Frank Assambly, 7000 145 0727 145 0707 May Frank Assambly, 716 145 0707	His Dava Wines		_		_		Fig Washer, 5/16
Lock Washer, 12 Lock Washer, 13 Lock Washer, 12 Lock Washer, 12 Lock Washer, 12 Lock Washer, 12 Lock Washer, 13 Lock Washer, 14 Lock Washer, 14 Lock Washer, 15 Lock Washer, 16 Lock Washer, 16 Lock Washer, 16 Lock Washer, 16 Lock Washer, 17 Lock Washe	Com Cooper 4 70 4 0 4 4 1/4 Law Life				-	048905	
Park Nationary 12 12 13 14 15 15 15 15 15 15 15						012181	-
Part Washer, 707 Part Speed, Spee			- "	****			
Spacer, Stannty Ophicher 86 070000 Radiand Cap. 1 45 071740 Spacer, Stannty Ophicher 8 074500 Radiand Cap. 2 4 071740 Har Nut, SG-28 NF 8 045500 Hard SG-28 NF 4 6 20774 Har Nut, SG-28 NF 8 045500 Hard SG-28 NF 4 6 20774 Lock Yhanler, SG-28 NF 8 045500 Hard SG-28 NF 4 6 20774 Lock Yhanler, SG-28 NF 8 045500 Hard SG-28 NF 4 6 20774 Lock Yhanler, SG-28 NF 8 04550 Cord Yhanler, Marker, Ma			-	INDICATE OF THE PROPERTY OF TH			
Sipering Cylcude* Sipering Cylcude* Cap Screw, 196-17 1-324 Hat HL. Cap Screw, 196-17 1-324 HT. Cap Screw, 196-17 1-324 Hat HL. Cap Screw, 196-17 1-324 Hat HL. Cap Screw, 196-17 1-324 Hat HL. Cap Screw, 196-17 1-324 HT. Cap Scre	Spacer, Steering Cylinder			ACTRIC	<u> </u>		
Her Nut, 5/6-18 NF Cap Scraw, 30-17 x 1-34 has Het. Cap Scraw, 30-17 x 1		_		1	¥ !	2007	
Cap Screw, Sell x 1-34 Hax Hd. 88 555745 Through Bracket 14 507071 Cap Screw, Sell x 1-34 Hax Hd. 89 014535 Cock Washer, Me x 10MM 1.25TH 14 003731 Rod End Bearing, Schill WF. 1 0 14517 Cap Screw, Me x 10MM 1.25TH 1 0 003455 Rod End Bearing, Schill WF. 1 0 14517 Cap Screw, Me x 20MM 1.25TH 1 1 0 003455 Cuck Washer, 7116-14 x 2 Hax Hd. 2 0 25470 Live Branch, Coll Collect (not shown) 1 1 0 003455 Lock Washer, 7116-14 x 2 Hax Hd. 2 0 25470 Live Branch, Coll Collect (not shown) 1 1 1 0 003455 Substray Arm. 2 0 25470 Live Branch, Coll Collect (not shown) 1 1 1 0 003456 Ash Faria Masher, 1-168 3 0 01450 Cap Screw, Me x 20MM 1.25TH 1 1 0 00370 Ash Valley Arm. 1 0 010099 Ruber Branch 1 1 0 00300 1 1 0 00300 Ash Valley Arm. 1 0 010099 Ruber Branch 1 1 0 00300 1 1 0 00300 1 1 0 00300 Ash Valley Arm. 1 0 00300 1 1 0 00300 1 1 0 00300 1 1 0 00300 1 1 0 00300 Ash Valley Arm. 1 0 00300 1 1 0 00300 1 1 0 00300 1 1		_			2	01/483	
Lock Washer, 56 Lock Washer, 116 Lock Washer, 56 Lock			,		146	2003	
Pack Washer, State Pack Wa			•		147	091767	_
Rod End Bearing, 56-18 NF 19 11-14 x 2 How House, 101 Code 149 005465 149 0					456	082431	
Figt Washer, Std. Code (first stront) 150 00780 Construction 150 00780 Code (first stront) 150	Rod End Beering, 578-18 NF			AD SCIENT MAN A SOMM LESITA	107	202.00	
Cap Screw, 7/16-14 x 2 Hax Hd. Cap Screw, 4/16-14 x 2 Hax Hd. Cap Screw, 7/16-14 x 1 Hax Hd.	_	_	_				
Standard	Can Screw, 7/16-14 x 2 Hax Hd.	_		leer Lower Mount, Off Cooler (not shown)	2	2000	
Sibertig Ami. 94 025470 Une Bracket, Right Front 1 152 018202 Rish Frame Assembly, 500D 1 150 01700 Rubhe Cot, Fuel Flow 1 154 027807 Rist Mattern Assembly, 500D 1 015009 Rubhe Cot, Fuel Flow 1 154 027807 Hax Nut, 10-24 Nylock 0 012002 Lock Washer, M+10 16 155 014607 Rest Valve Am. Front 0 012002 Lock Washer, M+10 16 155 014004 Rest Valve Am. Front 0 012002 Lock Washer, M+10 252MM 125TH 4 157 02000 Roy Screw, 10-24 x 1-1/4 Socket Hd. 1 0 021205 Hoff Front Mount, Englise to Frame 1 150 02210 Roy Screw, 30-16 x 1-1/4 Rd. 1 0 021205 Hoff Front Mount, Englise to Frame 1 150 02210 Roy Screw, 30-16 x 1-1/4 Rd. 1 0 021205 Hoff Front Mount, Englise to Frame 1 1 0 022410 Hoff Front Mount, Englise t	Lock Wester 7/18		_	Sap Screw, M-6 x 20MM 1.25TH	5	0633880	
Harm Ausenby, 500D			_	Ì	<u>+</u>	018220	_
Wall Pranta Austoning, 2000 19790 Rubbe Boot, Fuel Flow Solanoid (intranown) 154 027887 Hax Washer, 108 19700 Lock Washer, M-10 16 156 014187 15 01480 Hax Nit, 10-24 Nyock 17 00 15002 Lock Washer, M-10 16 150 014187 15 01480 Rest Valve Arm, Front 18 01482 28 20***, M-10 25MM 1.25TH 4 15 01001 15 01001 15 01001 Rest Valve Arm, Front 18 01482 28 20****, M-10 25MM 1.25TH 4 15 01001 15 01001 15 01001 15 01001 16 014784 4 15 01001 16 014784 16 01478					153	09/060	_
First Washer, 1-18 First Washer, 1-18 012009 10009 101467 155 014167	Main Frame Assembly, 500D			Control of the second s			
Hex Nut, 10-24 Nytock	Flat Washer, 1-1/8			לתספון מסמל בתפו בינא ספונו את הייייייייייייייייייייייייייייייייייי	- 4		-
Pael Valve Arm, Front Fig. 1945 Cap Screw, M-10 x 30MM 125TH 15 150 031000	Hex Nut. 10-24 Nytock		_		- ,		_
Cap Screw, 10-24 x 1-1/4 Socket Hd. 1999 014483 Cap Screw, M-10 x 25/MM 1.25TH 4 157 031000 02124 End Front Mount, Engline De France 159 021001 159 02125 Right Front Mount, Engline De France 159 021001 159 02101 159 021001 159 021001 159 021001 159 021001 159 021001 159 02101 159 02100	Reci Valve Arm Front	Ī			_		
Fig. Washer, 378 Fig. Washer, 378 Fig. Washer, 378 Fig. Washer, 38 Fig. Wa	0 0		_		*		_
Facility 24 Facility 1 1 1 1 1 1 1 1 1	Cap ocress, 10-24 X 1-174 Goodel mo.						
Fat Washer, 30	_				160		_
Mown, In Rod End Bearing, 3/8-24 NF							
Cap Screw, 36-16 x 1-12 Hax Hd. 10 062870 Left Front Mount, Freme to Engline 150 062751 Hox Nut, 36-24 NF 102 Hax Hd. 10 030894 Hose (Lipper Radiator 162 062751 Lock Wilds Rd. 30 10 10 10 10 10 10 10 10 10 10 10 10 10		_		***************************************	2		
Hox Nut, 20-20 Month Rod M	Can Come 3/8 44 4 10 Llev Llev	-		Į	<u> </u>		
Hox Nut, 302-24 NF Hox Nut	ממל מתחו אם ומין ווכן ומין וויייי						
Mow/Lift Rod Mow/	_				•	-	
Lock Washer, 336 Lock Screw, 336-16 x 1 kax Hd. Can Screw, 346-16 x 1 kax Hd. Can Screw, 446-16 x 1	_	-		200			
Cap Screw, 378-16 x 1 Hax Hd. 16 000744 Cap Screw, M-6 x 12MM 1,00TH	Lock Washer, 3/8			1056, LOWER PERSENT	- (
Greese Fitting, 3/16" Serrated Straink				Zep Screw, M-6 x 12NM 1,00TH	N	O BCC	
Cam Follower, 7/8* 108 083815 Screen 1 108 083815 Screen 1 109 091523 Bracket, Plank 1 109 091523 Bracket, Plank 1 1 1 1 1 1 1 1 1	Graces Elithon 2/18" Samulad Shamk	-		X29 Br Housing	,	100	_
Carl Fourter 109 Carl Carl Recovery Tank 109 Carl Carl Recovery Tank 109 Carl Carl Recovery Tank 100 Carl Screw, 208-18 x 1-12 Button Socket Hd. 1 101537 Coolent Recovery Tank (not abount) 1 101537 Coolent Recovery Tank (not abount) 1 1 101537 Coolent Recovery Tank (not abount) 1 1 1 1 1 1 1 1 1	Closed a large of the property				<u>-</u>	Š	
Bell Crark Arm	_			Section Coulon Devratory Taris			
Cap Screw, 3/8-1/2 Button Socient Hd. 11 017537 Coolett Hecovery I say, [total strains] 110 01744 Stand-Ori, Purps Mount 111 01744 Stand-Ori, Purps Mount 112 014596 Hax Nat, M-8, 125TH 112 014596 Hax Nat, M-8, 125TH 113 017080 OI Fitter, Engine Coupling Cap Screw, 5/16-18 x 1 Hax Hd. 114 013285 Disast, Engine Coupling Cap Screw, 5/16-18 x 34 Hax Hd. 12 115 015978 Coupling Cap Screw, 5/16-18 x 34 Hax Hd. 12 115 015978 Coupling Coupling Cap Screw 15/16-18 x 34 Hax Hd. 12 115 015978 Coupling Fermes Coupling							
Washer Plate Washer Plate 10 014394 Cap Screw, MrB x 1289M 1.23 H Stabilizer Receiver 4 111 017404 Stand-Off, Pump Mount Hood 1 12 014504 Hex Not, MrB, 1.25 H Shoulder Boll, 1/2 x 1/2 2 113 017080 OII Fitter, Engine Cap Screw, 5/16-18 x 1/4 14 013265 Diesel Engine Cap Screw, 5/16-18 x 1/4 14 013265 Diesel Engine Cap Screw, 5/16-18 x 1/4 14 013285 Diesel Engine Cap Screw, 5/16-18 x 1/4 14 015978 Coupling, Mele angle Fermals . LOSADOL, Mong	Cap Screw, 3/8-16 x 1-1/2 Button Socket Hd.			COCKETT HECOVERY LEFT (TRUSHAMILY	•		
Stabilizer Receiver 1 1 1 1 1 1 1 1 1	Wosher Plate	_	_	Cup Screen, M-8 x 120MM 1.251H	0		
Shoulder Bolt, 172 x 172 Shoulder Bolt, 172 x 172 Shoulder Bolt, 172 x 172 Cap Scrow, 2/16-18 x 1 Hax Hd. Lock Washer, 5/16 Can Scrow, 5/16-18 x 24 Hex Hd. 20 113 017080 OI Filer, Engine 20 114 013285 Desce, Engine Coupling Can Scrow, 5/16-18 x 24 Hex Hd. 21 115 014586 115 014586 115 014586 115 014586 115 014586 115 014586 115 014586 115 014586 115 014587 116 015978 0	Cartillian Donahan			Sand-Off, Purms Mount	10		
Shoulder Boll, 1/2 x 1/2. Shoulder Boll, 1/2 x 1/2. Cap Sarew, 5/16-18 x 1 Hax Hd. Can Screw, 5/16-18 x 34 Hax Hd.					N		
Shoulder Bolt, 1/2 x 1/2 Shoulder Bolt, 1/2 x 1/2 Cap Screw, 5/16-18 x 1 Hax Hd.	_						
Cap Scrow, \$/16-18 x 1 Hox Hd			_		<u>.</u> .		
Lock Wather, \$10-10x Treatment 15 083942 Can Screen \$1/6-18 zw4 Hax Hd 015979	17 . C. C) (ese) Engline	-		
Can Screw, 5/16-18 x 3/4 Hex Hd	Cet Scrow, 2/10-10 x max ma.			Proper English Contilling	m		
Can Screw 5/16-18 x 3/4 Hex Hd	Lock Washer, 5/16						
	_		_	Couping, Male and Fortish . Land Market Market	,		



1 072428 Hax Nut, 1/2-13 Nylock Constraints and Packet (rear cutting units and Packet) 2 025524 Upper Spring Bracket (rear cutting units and Packet) 2 025510 Greater, Swing Arm Cylinder Constraints and Cons	Net.	LESCO No.	No. Description Used
025524 Upper Spring Bracket (rear cutting units only) 025505 Spacer, Swing Arm Cylinder 06717 Gease Fitting, 14-28, Straight 06712 Shoulde Bolt, 58 Dia. x 2-34 Long 0225551 Swing Arm Cylinder 0225552 Swing Arm Cylinder 012203 Cotter Pin, 18 x 1 012203 Cotter Pin, 18 x 1 012204 Washer, Sife-18 x 12 Hax Hd. 012205 Cotter Pin, 18 x 1 01218 Prot Pin Assembly, Swing Arm 01268 Prot Pin Assembly, Swing Arm 01268 Prot Pin Assembly, Swing Arm 012263 Bushing, 1 x 1-14 x 1-14 012265 Hax Nut, 516-18 x 2-14 Hax Hd. 012265 Hax Nut, 516-18 x 2-12 012265 Bushing, 1 x 1-14 x 1-18 012265 Hax Nut, 516-18 x 2-12 012265 Bushing, 1 x 1-14 x 1-18 012265 Grease Fitting, 14-2	***	012428	
025510 Spacar, Swing Arm Cylinder 060078 Grease Flitting, 14-28, Straight 067112 Shoulder Bolt, 58 Dia, x 234 Long 025551 Swing Arm Cylinder 012203 Cotter Prin, 18x x 1 012203 Cotter Prin, 18x x 1 012168 Lock Washer, 519-18 x 12 Hax Hd. 012488 Pivot Pin Assambly, Swing Arm 012488 Pivot Pin Assambly, Swing Arm 012488 Pivot Pin Assambly - R.H Articulated 012488 Pivot Pin Assambly - R.H Articulated 012488 Bushing, 1x x 114 x 1-112 Hax Hd. 012489 Pivot Pin Pin Sylvin R.H Articulated 012565 Hairpin Cotter, 1* 025632 Gap Screw, 516-14 kin kin Hax Hd. 025633 Bushing, 1x x 114 x 718 012165 Hax Nut, 516-18 Nylock 025420 Pivot Arm Link 012255 Grease Fliting, 14x28, 90-Degree Elbow 025420 Pivot Arm Link 012257 Grease Fliting, 14x28, 90-Degree Elbow 025420 Pivot Arm Link 012265 Lock Washer, 36 01	2	025524	
060078 Grease Fitting, 1/4-28, Straight 06712 Shoulder Boit, 5/8 Dia. x 2.3/4 Long 022555 Swing Arm Cylinder 012203 Cotter Pin, 1/8 x 1 060017 Cotter Pin, 1/8 x 1 060017 Cotter Pin, 1/8 x 1 012168 Lock Washer, 5/16 022499 Pivot Pin Assembly, Swing Arm 04040 Bushing, 1 x 1-1/4 x 1-1/4 012291 Cutting Unit Pin 012292 Hairpin Cotter, 1* 025623 Hairpin Cotter, 1* 02563 Bushing, 1 x 1-1/4 x 7/8 012229 Hairpin Cotter, 1* 025643 Hairpin Cotter, 1* 025643 Hairpin Cotter, 1* 025644 Hax Nut, 5/8-1 (fillin jam nut) 025420 Pivot Arm Link, 1/4-28, 90-Degree Elbow 012265 Pivot Arm Link, 1/4-28, 90-Degree Elbow 012266 Pivot Arm Link Pin Assembly 012269 Pivot Arm Link Pin Assembly 012260 Pivot Arm Link Pin Assembly 012170 Ball Beatry 012171 Cock Washer, 3/6	r	025510	:
067112 Shoulder Bolt, 5/8 Dia. x 2/3/4 Long 025551 Swing Arm Cylinder 01203 Cotter Plin, 18 x 1 04007 Washer, Spacer, 3/4 L.D. 012168 Cap Screw, 5/19-8 x 1/2 Hax Hd. 012168 Cap Screw, 5/19-8 x 1/2 Hax Hd. 012049 Pivot Plin Assembly, Swing Arm 048853 Swing Arm Assembly, Swing Arm 048853 Swing Arm Assembly, Swing Arm 042853 Swing Arm Assembly, Swing Arm 012291 Cutting Unit Pin 012295 Harpin Cotter, 1 T. 022852 Cap Screw, 5/16-18 x 2-1/4 Hax Hd. 022853 Bushing, 1 x 1-1/4 x 7/8 012182 Cap Screw, 5/16-18 x 2-1/4 Hax Hd. 02249 Pivot Arm Assembly — R.H. 012226 Greese Flitting, 1/4-28, 90-Degree Elbow 012369 Pivot Arm Link Pin Assembly 012390 Cotter Pin, 5/32 x 1-1/2. 02569 Pivot Arm Link Pin Assembly 012371 Look Washer, 3/8 012171 Look Washer, 3/8 012171 Look Washer, 3/8 012175 Look Washer, 3/8 012175 Look Washer, 3/8 012176 Pivot Arm Assembly — L.H. 012217 Look Washer, 3/8 012177 Look Wa	*	920090	:
012203 Swing Arm Cylinder 012203 Cotter Pin, 18 x 1 06007 Washer, Spacer, 3/4 L.D. 012168 Lock Washer, Spacer, 3/4 L.D. 012169 Lock Washer, 5/16 & 1/2 Hex Hd. 025498 Pivot Pin Assembly, Swing Arm 04040 Bushing, 1 x 1-1/4 x 1-1/4 012291 Cutting Unit Pin 012292 Cutting Unit Pin 012263 Bushing, 1 x 1-1/4 x 7/8 012264 Bushing, 1 x 1-1/4 x 7/8 012265 Bushing, 1 x 1-1/4 x 7/8 012266 Cap Screw, 5/16-18 x 2-1/4 Hex Hd. 022623 Bushing, 1 x 1-1/4 x 7/8 012182 Cap Screw, 5/16-18 x 2-1/4 Hex Hd. 02243 Pesitive Lock Valve 012266 Pivot Arm Assembly — R.H. 012266 Pivot Arm Link Pin Assembly 012360 Cotter Pin, 5/32 x 1-1/2 012770 Ball Bearthy 010269 Pivot Arm Link Pin Assembly — L.H. 012171 Cap Screw, 3/8-16 x 1/8	4D	067112	Shoulder Bolt, 5/8 Dia. x 2:3/4 Long
012203 Cotter Pin, 1f8 x 1. 060017 Washer, Spacer, 3/4 I.D. 01218 Cap Screw, 5/10-18 x 1/2 Hax Hd. 048833 Swing Arm Assembly, Swing Arm 048843 Swing Arm Assembly, Swing Arm 012291 Cutting Unit Pin 012291 Cutting Unit Pin 012292 Cutting Unit Pin 012293 Bushing, 1 x 1-1/4 x 1-1/4 012293 Bushing, 1 x 1-1/4 x 7/8 012185 Cap Screw, 5/8-11 x 1-1/12 Hax Hd. 022543 Bushing, 1 x 1-1/4 x 7/8 012165 Cap Screw, 5/8-12 x 1-1/4 x 7/8 012165 Hax Nut, 5/8-11 (lihin Jam nut) 025430 Pivot Arm Link 01226 Gresse Fitting, 1/4-28, 90-Degree Elbow 025393 Pivot Arm Link 012365 Pivot Arm Link 012366 Gresse Fitting, 1/4-28, 90-Degree Elbow 012367 Cotter Pin, 5/32 x 1-1/2 012370 Cotter Pin, 5/32 x 1-1/2 012371 Cap Screw, 3/8 fo x 1 Hex Hd. 012171 Cap Screw, 3/8 fo x 1 Hex Hd. 012171 Cap Screw, 3/8 fo x 1 Hex Hd. 012171 Cap Screw, 3/8 fo x 1 Hex Hd. 012171 Cap Screw, 3/8 fo x 1 Hex Hd. 012171 Cap Screw, 3/8 fo x 1 Hex Hd. 012171 Cap Screw, 3/8 fo x 1 Hex Hd. 012171 Cap Screw, 3/8 fo x 1 Hex Hd. 012171 Cap Screw, 3/8 fo x 1 Hex Hd. 012171 Cap Screw, 3/8 fo x 1 Hex Hd. 012172 Fitt Washer, 3/8 012541 Pivot Arm Link Pin 012217 Hairpin Cotter, 3/8 025417 Pivot Arm Link Pin 012217 Connector Pin, 3/8-16 Nylock 025211 Connector Pin, 8/91 Crew.	9	025551	Swing Arm Cylinder
060017 Washer, Spacer, 3/4 I.D. 012178 Cap Screw, 5/16-18 x 1/2 Hax Hd. 012168 Lock Washer, 5/16 Plax Hd. 02549 Pivot Pin Assembly, Swing Arm 048830 Swing Arm Assembly, Swing Arm 012291 Cutting Unit Pin 012292 Cutting Unit Pin 012293 Cutting Unit Pin 012363 Bushing, 1 x 1-1/4 x 7/8 012363 Cutting Unit Pin 012363 Cutting Unit Pin 012363 Cutting Unit Pin 012363 Cutting Unit Pin 012364 Cap Screw, 5/8-11 x 1-1/2 Hex Hd. 012165 Cap Screw, 5/16-18 x 2-1/4 Hex Hd. 012365 Pivot Arm Link Pin Assembly 012366 Pivot Arm Link Pin Assembly 012569 Pivot Arm Link Pin 012570 Cap Screw, 3/8-16 x 1 Hex Hd. 012669 Pivot Arm Assembly — L.H. 012570 Upper Tie Rod. 01257 Upper Tie Rod. 01256 Upper Tie Rod. 01257 Upper Tie Rod. 01254 Pivot Arm Link	٨-	012203	Cotter Pln, 1/8 x 1 2
012178 Cap Scraw, 5/16-18 x 1/2 Hax Hd. 01268 Lock Washer, 5/16 025498 Pivot Pin Assembly, Swing Arm 048833 Swing Arm Assembly, Swing Arm 014893 Swing Arm Assembly — R.H. — Articulated 014040 Bushing, 1 x 1-1/4 x 1-1/4 012595 Cap Screw, 5/8-11 x 1-1/2 Hax Hd. 025832 Cap Screw, 5/8-11 x 1-1/4 x 7/8 012182 Cap Screw, 5/8-11 x 1-1/4 x 7/8 012285 Bushing, 1 x 1-1/4 x 7/8 012285 Pivot Arm Link 012286 Giesse Fitting, 1/4-28, 90-Degree Elbow 012286 Giesse Fitting, 1/4-28, 90-Degree Elbow 012286 Cotter Pin, 5/32 x 1-1/2 012286 Cotter Pin, 5/32 x 1-1/2 012380 Cotter Pin, 5/32 x 1-1/2 012770 Ball Bactry 012771 Cap Screw, 3/8-16 x 1 Hex Hd. 012177 Cap Screw, 3/8-16 x 1 Hex Hd.	8	060017	Washer, Spacer, 3/4 I.D
012168	C h	012178	Cap Screw, 5/18-18 x 1/2 Hex Hd 2
025498 Pivot Pin Assembly, Swing Arm 048853 Swing Arm Assembly — R.H. — Articulated 014040 Bushing, 1 x 1-1/4 x 1-1/4 012291 Cutting Unit Pin 012595 Hairpin Cotter, 17 025632 Cap Screw, 5/6-11 x 1-1/2 Hex Hd. 026425 012182 Cap Screw, 5/6-11 x 1-1/2 Hex Hd. 025420 Hex Nut, 5/8-11 (thin jam nut) 025420 Positive Lock Valve 012185 Hex Nut, 5/16-18 Nylock 025420 Pivot Arm Assembly — R.H. 01226 Greasa Filting, 1/4-28, 90-Degree Elbow 025393 Pivot Arm Link Pin Assembly 012560 Pivot Arm Link Pin Assembly 012561 Cotter Pin, 5/32 x 1-1/2 01270 Ball Beatry 010569 Pivot Arm Link Pin Assembly 012560 Upper Tile Rod 012171 Cap Screw, 3/8-16 x 1 Hex Hd. 012171 Cap Screw, 3/8-16 x 1 Hex Hd. 012172 Lock Washer, 3/8 012550 Lift Arm Cylinder 025419 Pivot Arm Assembly — L.H. — Articulated 025419 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Assembly — L.H. — Bell Crenk 025211 Connector Pin, Bell Crenk 025212 Leveling Chain Assembly 025211 Connector Pin, Bell Crenk	0	012168	
048853 Swing Arm Assembly — R.H. — Articulated 014040 Bushing, 1 x 1-1/4 x 1-1/4 012291 Cutting Unit Pin 012565 Hairpin Cotter, 17 038632 Cap Screw, 5/8-11 x 1-1/2 Hex Hd. 036632 Cap Screw, 5/8-11 x 1-1/2 Hex Hd. 036632 Cap Screw, 5/16-18 x 2-1/4 Hex Hd. 025426 Gaesse Filting, 1/4-28, 90-Degree Elbow 012185 Hex Nut, 5/16-18 Nylock 025430 Pivot Arm Assembly — R.H. 012266 Greasse Filting, 1/4-28, 90-Degree Elbow 025333 Pivot Arm Link Pin Assembly 012380 Cotter Pin, 5/32 x 1-1/2 012380 Cotter Pin, 5/32 x 1-1/2 012380 Cotter Pin, 5/32 x 1-1/2 01256 Greasse Filting, 1/4-28, 90-Degree Elbow 025303 Pivot Arm Link Pin Assembly 010869 Fist Washer, 3/8 01257 Lock Washer, 3/8 01257 Lock Washer, 3/8 012590 Upper Tif Rod 01257 Pivot Arm Assembly — L.H. — Articulated 025419 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Assembly — L.H. — Bell Crenk 025211 Connector Pin, Bell Crenk 025211 Connector Pin, Bell Crenk	=	025498	Pivot Pin Assembly, Swing Arm
014040 Bushling, 1 x 1·1/4 x 1·1/4 012291 Cutting Unit Pin 012505 Cap Screw, 5/8-1 x 1·1/2 Hex Hd. 035632 Hex Nut, 5/8-1 1 (thin Jam nut) 042853 Bushing, 1 x 1·1/4 x 7/8 012182 Cap Screw, 5/16-18 x 2·1/4 Hex Hd. 025439 Pivot Arm Assembly — R.H. 01226 Greese Fitting, 1/4-28, 90-Degree Elbow 025539 Pivot Arm Link Pin Assembly 012380 Cotter Pin, 5/32 x 1·1/2 012380 Cotter Pin, 5/32 x 1·1/2 012171 Cap Screw, 3/8-16 x 1 Hex Hd. 012155 Look Washer, 3/8 012157 Lock Washer, 3/8 012157 Harm Cylinder 025419 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Assembly — L.H. — Articulated 025417 Hairpin Cotter, 3/8 025417 Hex Nut, 3/8-16 Nylock	7	048853	:
012291 Cutting Unit Pin 012505 Hairpin Cotter, 1* 028632 Cap Screw, 5/6-11 x 1-1/2 Hex Hd. 035632 Hex Nut, 5/8-11 (ithin jam nut) 042853 Bushing, 1 x 1-1/4 x 7/8 012182 Cap Screw, 5/16-18 x 2-1/4 Hex Hd. 025439 Positive Lock Valve 01226 Greese Fitting, 1/4-28, 90-Degree Elbow 0255393 Pivot Arm Link Pin Assembly 012260 Cotter Pin, 5/32 x 1-1/2 025239 Pivot Arm Link Pin Assembly 012380 Cotter Pin, 5/32 x 1-1/2 012171 Cap Screw, 3/8-16 x 1 Hex Hd. 012175 Cap Screw, 3/8-16 x 1 Hex Hd. 012157 Lock Washer, 3/8 012556 Ulit Arm Cylinder 025530 Pivot Arm Assembly — L.H. — Articulated 0255417 Pivot Arm Assembly — L.H. — Articulated 025417 Hairpin Cotter, 3/8 025417 Hex Mulk Pin 01210 Hairpin Cotter, 3/8 025541 Hex Nut, 3/8-16 Nylock	13	014040	
012505 Hairpin Cotter, 1** 03632 Cap Screw, 5/8-11 (thin Jam nut) 042853 Bushing, 1 x 1-1/4 x 7/8 012182 Cap Screw, 5/8-11 (thin Jam nut) 042849 Positive Lock Valve 012182 Cap Screw, 5/16-18 x 2-1/4 Hex Hd. 025449 Positive Lock Valve 01226 Greese Filting, 1/4-28, 90-Degree Elbow 0255393 Pivot Arm Link Pin Assembly 012380 Cotter Pin, 5/32 x 1-1/2 012569 Pivot Arm Link Fin Assembly 012560 Cotter Pin, 5/32 x 1-1/2 012572 Lower Tie Rod 012589 Fist Washer, 1 012171 Cap Screw, 3/8-16 x 1 Hex Hd. 012157 Lock Washer, 3/8 01255 Lock Washer, 3/8 012550 Lill Arm Cylinder 0255306 Ull Arm Seembly — L.H. — Articulated 0255419 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Assembly — L.H. — Articulated 025417 Hairpin Cotter, 3/8 025417 Hex Nut, 3/8-16 Nylock	7	012291	
035632 Cap Screw, 5/6-11 x 1-1/2 Hax Hd. 035632 Hex Nut, 5/8-11 (thin jam nut) 042653 Bushing, 1 x 1-1/4 x 7/8 012182 Cap Screw, 5/16-18 x 2-1/4 Hex Hd. 012549 Positive Lock Valve 012165 Hax Nut, 5/16-18 Nylock 025439 Pivot Arm Assembly — R.H. 01226 Grease Filting, 1/4-28, 90-Degree Elbow 025393 Pivot Arm Link Fin Assembly 012360 Cotter Pin, 5/32 x 1-1/2 012512 Lower Tie Rod 010669 Fits Washer, 1 012171 Cap Screw, 3/8-16 x 1 Hex Hd. 012157 Lock Washer, 3/8 012158 Fits Washer, 3/8 012156 Lock Washer, 3/8 012550 Lift Arm Cylinder 025506 Ulft Arm Cylinder 025510 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Assembly — L.H. — Articulated 025417 Hairpin Cottler, 3/8 012210 Hairpin Cottler, 3/8 025541 Hax Nut, 3/8-16 Nylock	5	012505	
035632 Hex Nut, 5/8-11 (thin jam nut) 042853 Bushing, 1 x 1-1/4 x 7/8 012182 Cap Screw, 5/16-18 x 2-1/4 Hex Hd. 025449 Positive Lock Valve 012165 Hex Nut, 5/16-18 Nylock 025420 Pivot Arm Assembly — R.H. 01226 Grease Filting, 1/4-28, 90-Degree Elbow 025393 Pivot Arm Link Pin Assembly 012380 Cotter Pin, 5/32 x 1-1/2 012380 Cotter Pin, 5/32 x 1-1/2 012512 Lower Tif Rod 010269 012171 Cap Screw, 3/8-16 x 1 Hex Hd. 012171 Cap Screw, 3/8-16 x 1 Hex Hd. 012172 Cap Screw, 3/8-16 x 1 Hex Hd. 012550 Lift Arm Cylinder 0255306 Upper Tife Rod 025540 Pivot Arm Assembly — L.H. — Articulated 0255417 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Assembly — L.H. — Articulated 025417 Hex Pivot Arm Assembly — L.H. — Hex Pivot Arm Link Pin 01210 Hairpin Cotter, 3/8 025417 Hex Nut, 3/8-16 Nylock	16	036832	:
042853 Bushling, 1 x 1-1/4 x 7/8 012182 Cap Scraw, 5/16-18 x 2-1/4 Hex Hd. 025449 Positive Lock Valve. 012165 Hax Nut, 5/16-18 Nylock 012266 Grease Filting, 1/4-28, 90-Degree Elbow 025393 Pivot Arm Link 02569 Pivot Arm Link Pin Assembly 012380 Colter Pin, 5/32 x 1-1/2 01700 Ball Bearing 017170 Ball Bearing 017171 Cap Scraw, 3/8-fe x 1 Hex Hd. 012171 Lock Wesher, 3/8 012156 Flat Washer, 3/8 012157 Lock Wesher, 3/8 012158 Flat Washer, 3/8 025506 Ulfr Arm Cylinder 025550 Ulfr Arm Assembly — L.H. — Articulated 025517 Pivot Arm Assembly — L.H. — Articulated 025419 Pivot Arm Link Pin 025417 Pivot Arm Link Pin 012210 Laveling Chain Assembly 025417 Hairpin Cotter, 3/8 025211 Connector Pin, Beil Crenk 012173 Hax Nut, 3/8-16 Nylock	17	035632	
012182 Cap Screw, 5/16-18 x 2-1/4 Hex Hd. 025449 Positive Lock Valve 012165 Hex Nut, 5/16-18 Nylock 025420 Pivot Arm Assembly — R.H. 012256 Grease Filting, 1/4-28, 90-Dagree Elbow 025533 Pivot Arm Link Pin Assembly 012380 Cotter Pin, 5/32 x 1-1/2 025212 Lower Tin Rod 010869 Fiet Washer, 1 012177 Cap Screw, 3/8-16 x 1 Hex Hd. 012177 Lock Washer, 3/8 012188 Fiet Washer, 3/8 012550 Lift Arm Cylinder 025506 Upper Tie Rod 025506 Upper Tie Rod 025517 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Assembly — L.H. — Articulated 025417 Hex Pin Cottler, 3/8 025517 Hex Pivot Arm Assembly — L.H. — Hairpin Cottler, 3/8 025211 Connector Pin, Bell Crenk	82	042853	
025449 Positive Lock Valve 012165 Hax Nut, \$116-18 Nylock 025420 Pivot Arm Assembly — R.H. 012226 Greasa Flitting, 1/4-28, 90-Degree Elbow 025333 Pivot Arm Link Pin Assembly 012380 Cotter Pin, 5/32 x 1-1/2 025212 Lower Tin Rod 010869 Flet Washer, 1 012171 Cap Screw, 3/8-16 x 1 Hex Hd. 012172 Lock Washer, 3/8 012188 Flet Washer, 3/8 02550 Lift Arm Cylinder 02550 Lift Arm Cylinder 025419 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Assembly — L.H. — Articulated 025417 Hairpin Cottler, 3/8 025417 Hairpin Cottler, 3/8 025211 Connector Pin, Bell Crenk 025211 Hax Nut, 3/8-16 Nylock	<u>(7)</u>	012182	
012165 Hax Nut, 516-18 Nylock 025420 Pivot Arm Assembly — R.H. 012226 Greasa Flitting, 1/4-28, 90-Dagree Elbow 02533 Pivot Arm Link Pin Assembly 012380 Cotter Pin, 5/32 x 1-1/2 025212 Lower The Rod 017706 Ball Bearing, 010859 Flat Washer, 1 Flat Washer, 3/6 012171 Cap Screw, 3/8-16 x 1 Hax Hd. 012172 Lock Washer, 3/8 012188 Flat Washer, 3/8 02550 Lift Arm Cylinder 02550 Lift Arm Assembly — L.H. — Articulated 025419 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Assembly — L.H. — Articulated 025417 Hairpin Cottler, 3/8 025417 Hairpin Cottler, 3/8 025211 Connector Pin, Bell Crenk.	8	025449	
025420 Pivot Arm Assembly — R.H. 012256 Greasa Flitting, 1/4-28, 90-Bagree Elbow 025393 Pivot Arm Link 012360 Cotter Pln, 5/32 x 1-1/2 025212 Lower Tie Rod 017706 Ball Bearing 010859 Flat Washer, 11 012171 Cap Scraw, 3/8-16 x 1 Hex Hd. 012157 Lock Washer, 3/8 012158 Flat Washer, 3/8 012550 Lift Arm Cylinder 025506 Upper Tie Rod. 025506 Lift Arm Cylinder 025517 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Assembly — L.H. — Articulated 025417 Hairpin Cottler, 3/8 025211 Connector Plin, Bell Crenk.	23	012165	
012226 Greasa Flitting, 1/4-28, 90-Dagree Elbow 025393 Pivot Arm Link 025669 Pivot Arm Link Pin Assembly 012380 Cotter Pin, 5/32 x 1-1/2 025212 Lower Tie Rod 010859 Flat Washer, 3/8 012171 Cap Screw, 3/8-16 x 1 Hex Hd. 012175 Cock Washer, 3/8 012176 Cap Screw, 3/8-16 x 1 Hex Hd. 012177 Lock Washer, 3/8 012590 Ult Arm Cylinder 025590 Lilt Arm Cylinder 025590 Lilt Arm Cylinder 025591 Pivot Arm Assembly — L.H. — Artlculated 025417 Pivot Arm Assembly — L.H. — Artlculated 025417 Pivot Arm Link Pin 012210 Hairpin Cottler, 3/8 025417 Leveling Chain Assembly 025211 Connector Pin, Bell Crenk 025211 Connector Pin, 3/8-16 Nylock	ន	025420	Pivot Arm Assembly — R.H.
025393 Pivot Arm Link 025669 Pivot Arm Link Pin Assembly 012380 Cotter Pin, 5/32 x 1-1/2 025212 Lower Tie Rod 017706 Ball Bearing 010659 Flat Washer, 3/8-16 x 1 Hex Hd. 012171 Cap Screw, 3/8-16 x 1 Hex Hd. 012157 Lock Washer, 3/8 012158 Flat Washer, 3/8 02550 Lift Arm Cylinder 02550 Lift Arm Cylinder 02550 Lift Arm Assembly — L.H. — Articulated 025419 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Lasembly — L.H. — Articulated 025417 Pivot Arm Lasembly — L.H. — Articulated 025417 Pivot Arm Lasembly — L.H. — Articulated 025211 Connector Pin, Bell Crenk 025211 Connector Pin, Bell Crenk	ĸ	012226	
025669 Pivot Arm Link Pin Assembly 012380 Cotter Pin, 5/32 x 1-1/2 025212 Lower Tie Rod 017706 Bail Bearing 010869 Flat Washer, 1 012171 Cap Screw, 3/8-16 x 1 Hex Hd. 012157 Lock Washer, 3/8 012158 Flat Washer, 3/8 012590 Upper Tie Rod 025506 Upper Tie Rod 025506 Upper Tie Rod 025519 Pivot Arm Assembly — L.H. — Articulated 025419 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Lassembly — L.H. — Articulated 025417 Pivot Arm Lassembly — L.H. — Articulated 025417 Pivot Arm Link Pin 012210 Hairpin Cottler, 3/8 025211 Connector Pin, Bell Crenk 025211 Connector Pin, Bell Crenk	77	025393	
012380 Cotter Pin, 5/32 x 1-1/2. 025212 Lower Tie Rod 017706 Bail Breafrg 010869 Flet Washer, 1 012171 Cap Screw, 3/8-16 x 1 Hex Hd. 012157 Lock Washer, 3/8 01255 Lift Arm Cylinder 025306 Upper Tie Rod 02550 Lift Arm Cylinder 025419 Pivot Arm Assembly — L.H. — Articulated 025417 Fivot Arm Link Pin 012210 Hairpin Cotter, 3/8 025414 Leveling Chain Assembly 025211 Connector Pin, Beil Crank	ĸ	025669	
025212 Lower Tie Rod 017706 Ball Brearing 010869 Flet Washer, 1 012171 Cap Scraw, 3/8-16 x 1 Hex Hd. 012157 Lock Washer, 3/8 012556 Ullt Arm Cylinder 02556 Ullt Arm Cylinder 025419 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Link Pin 012210 Hairpin Cotter, 3/8 02544 Leveling Chain Assembly 025211 Connector Pin, Bell Crank	92	012380	**************
010869 Flat Washer, 1 012171 Cap Scraw, 3/8-16 x 1 Hex Hd. 012157 Lock Washer, 3/8 01256 Upper Tie Rod. 025506 Upper Tie Rod. 025517 Fivot Arm Assembly — L.H. — Articulated 025417 Fivot Arm Link Pin 012210 Hairpin Cotter, 3/8 02544 Leveling Chain Assembly 025211 Connector Pin, Bell Crank	27	025212	
012157 Cap Scraw, 3/8-16 x 1 Hex Hd. 012157 Lock Washer, 3/8 01258 Flat Washer, 3/8 012550 Upper Tie Rod. 02550 Ullt Arm Cylinder 025419 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Link Pin 012210 Hairpin Cotter, 3/8 02544 Leveling Chain Assembly 025211 Connector Pin, Bell Crank	8	017708	
012171 Cap Scraw, 3/8-16 x 1 Hex Hd. 012157 Lock Wesher, 3/8 01258 Flat Wesher, 3/8 025306 Upper Tie Rod. 025419 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Link Pin 012210 Hairpin Cotter, 3/8 02544 Leveling Chain Assembly 025211 Connector Pin, Bell Crank 025213 Hex Nut, 3/8-16 Nylock	R	010869	
012157 Lock Washer, 3/8 01258 Flat Washer, 3/8 025306 Upper Tie Rod 025419 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Link Pin 012210 Hairpin Cotter, 3/8 02544 Leveling Chain Assembly 025211 Connector Pin, Bell Crank	8	012171	***************************************
012558 Flat Washer, 3/8 025306 Upper Tie Rod 025419 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Link Pln 012210 Hairpin Cotter, 3/8 02544 Leveling Chain Assembly 025211 Connector Pln, Bell Crank 025213 Hex Nut, 3/8+16 Nylock	33	012157	
025306 Upper Tie Rod 02550 Lift Arm Cylinder 025419 Pivot Arm Assembly — L.H. — Articulated 025417 Pivot Arm Link Pin 012210 Hairpin Cotter, 3/6 02544 Leveling Chain Assembly 025211 Connector Pin, Bell Crank	32	012158	
025550 LIft Arm Cylinder 025419 Pivot Arm Assembiy — L.H. 048731 Swing Arm Assembiy — L.H. — Articulated 025417 Pivot Arm Link Pin 012210 Hairpin Cotter, 3/8 02544 Leveling Chain Assembly 025211 Connector Pin, Bell Crenk	g	025306	:
025419 Pivot Arm Assembiy — L.H. — Articulated 048731 Swing Arm Assembly — L.H. — Articulated 025417 Pivot Arm Link Pin 012210 Hairpin Cotter, 3/8 02544 Leveling Chain Assembly 025211 Connector Pin, Bell Crenk 012173 Hex Nut, 3/8-18 Nylock	34	059520	:
048731 Swing Arm Assembly — L.H. — Artlculated 025417 Pivot Arm Link Pln 012210 Hairpin Cotter, 3/8 02544 Leveling Chain Assembly 025211 Connector Pln, Belf Crenk 012173 Hex Nut, 3/8-16 Nylock	35	025419	L.H
025417 012210 02544 025211 012173	98	048731	- L.H Articulated
012210 025444 025211 012173	37	025417	Pivot Arm Link Pin 3
025444 025211 012173	8	012210	Halrpin Cotter, 3/8 ,
025211	Q	025444	Leveling Chain Assembly 2
012173	4	025211	Connector Pln, Bell Crank
	42	012173	Hex Nut, 3/8-16 Nylock


¥ # Lift Arm Spacer, Long, L.H. --- Center (not shown Spacer, Ult Arm Belicaark -- Center Only Lit Arm Pivot Pin — Front, Right and Laft Lift Am Phyor Pin — Center (ind shown) Lift Arm Spacer — Front, P.H. Lift Arm Spacer — Front, L.H. Lift Arm Spacer — Center Cap Screw, 1/2-13 x 2-3/4 Hex Hd. Cap Screw, 5/16-18 x 1/2 Hex Hd. Cap Screw, 1/4-20 x 1/2 Hex Hd. Bell Crank Unkage Side Plate Uit Arm - Right and Center Lift Arm — Left (not shown) Bell Crank, Leveling Chain Wheel Stud, 1/2-20 x 1-1/2 Leveling Chain Assembly ... Connector Pin, Bell Crank Hex Nut, 3/8-16 Nylock Bushing, 1 x 1-1/4 x 1-1/4 Brake Control Arm — R.F Shoulder Bolt, 172 x 172 Hex Nut, 1/2-13 Nylock Cotter Pin, 1/8 x 5/8 Cylinder Side Link Pin Brake Becking Plate Side Link Spacer Key, 1/4 x 1/4 x 7/8 Cong Side Link LOCK Wesher, 1/4 012173 012156 0111450 025010 012478 025132 012178 060078 060078 025552 025554 012157 012171 012171 02528 02528 025180 01253 025180 01253 01253 01253 01253 01253 01253 025016 025016 025008 025437 025537 025501 025574 012612 012428 025234 025214 025231 025231 012544 012548 012122 012132 012132 012558 012558 012558 025444 035093 <u>a</u> នក្នុងនិងស្នងក្នុង 23344 **2** 2 Canter Only 8

Oil Tank, Fuel Tank & Battery — Illustration

Oil Tank, Fuel Tank & Battery - Parts List


Cap Scraw, 516-16 x 2-1/4 Hex Hd..... Sattery Cable, Positive, Red Cap Scraw, 1/4-20 x 1 Hex Hd....... Elbow, 90-Degree w/Rubber Bushing x 3/16 Hose Barb . . . Strap, Fuel Tank Fuel Tank Lock Washer, 516 O24,097 EL Battery Cable, Negative, Black (not shown) Battery ... 525. K.A. Cap Scraw, 114-20 x 3/4 Hex Hd. Elbow, 90-Dagree, 1/8 NPT x 1/4 Hose Barb. Cap, Fuel Tank Hex Nut, 1/4-20 Nylock Strap, Hydraulic Oll Tank Spring, Fuel Tank Strap...... Hose, Fuel Line, 5/16" (Sold per foot) Hose Clamp, Wormgear, 1-1/4" Hose Hose, Fuel Line, 3/16" (Sold per foot) Protective Pad, Hydraulic Oli Tarik Hydraulic Hose, Return, 1-1/4" (D Cap Screw, 1/4-20 x 1-3/4 Hex Hd.. Hose Clamp, Wormpear, 1/4"- 5/8" Reducer Bushing, 1/4 to 1/8 NPT apered Steeve..... Aach, Scraw, 1/4-20 x 3 Rd. Hd. Flat Washer, 1/4 Hex Nut, 5/18-18 Nylock Acorn Nut, 5/16-18 014541 055232 012165 012371 012162 012168 017079 013609 012189 012277 025159 012129 012154 012528 012152 017905 013718 025348 014327 014537 014454 067458 012134 098036 002151 025347 011447 012281 24731 ညီ ထိ 28 - 9 8 9-28 1,






Page 20 of 33

. T Cap Screw, 3/8-16 x 3/4 Button Socket Hd. Cap Screw, 1/4-20 x 1 Helf Socket Hd. Spacer, Mowel in Sefety Switch Mount Cap Screw, 10-24 x 1-1/4 Socket Hd. Screw, 10-16 x 1/2 Self-Tapping ... Valve Linkage Shaft Bracket - L.H. Mowfult Setety Toggle Switch Machine Screw, 8-32 x 1 Rd, Hd. Cap Screw, 1/4-20 x 1 Hex Hd. Shim Washer (.010" - 3/8 i.D.) Shim Washer (.060" - 3/8 (.D.) MOWILIT Safety Switch Mount Detent Wrench (not shown) ... Reel Control Lever - Medium Reel Control Lewer - Short Busing, 1/2 x 5/8 x 3/8 Valve Control Arm Spacer Resi Control Lever - Long Hex Nut, 10-24 Nylock Reel Valve Arm - Center Fraction Verve Side Link. Velve Control Spacer Cotter Pin, 3/32 x 1/2 Shoulder Bolt, 3/8 x 3/4 Mow/Lift Switch Spacer Vaive Acquete Sheft Roel Valve Arm - Rear HOX NUT, 375-24 NF ... MOW/Lift Switch Cem Ball Pumper Deternt... Roll Phr, 2/16 x 1 Vectoral Switch Com Clevia Pin, 1/4 x 7/8 Cotter Pm, 1/8 x 5/8 Uft Varive Link LOCK Washer, 1/4 Roel Valve Letch raction Shift Laver Clevis Pin, 3/8 x 1 ... Ball Bearing 2 2 2 2 3 012132 011449 012461 012208 091442 011447 025022 012562 012118 012536 025100 012190 025083 025381 025182 025085 025375 012386 012416 02524 025219 02521 012158 012142 012578 025400 016360 012568 025027 000691 012181 012583 025094 488888 ý ₹ 5 Hydraulic Hose - Pump to Valve Bank . O.7.2016. MASSAFAN Hydraulic Hose — Power Steering Pressure, Short Worm Gear Hose Clamps, 1-1/4 Hose Cap Screw, 5/18-18 x 2-3/4 Hax Hd.. Power Steeding Return Line , Short ... Cap Screw, 1/4-20 x 3/4 Socket Hd. Shim Weeher (.060 - 1/2 LD.) /aive Unkage Shaft Bracher - R.H. Cap Screw, 3/8-18 x 1-1/2 Hax Hd. Machine Screw, 8-32 x 1/2 Rd. Hd. Cap Screw, 38-16 x 1-3/4 Hex Hd. Machine Screw, 6-32 x 3/4 Rd. Hd. Cap Screw, 3/8-16 x 3/4 Hex Hd. Cap Scrow, 1/4-20 x 3/4 Hex Hd. Hydraulic Fitting — 45° Etbow Hydraulic Fitting - 90° Sweep Support Frame, Valve Bank ... Power Steering Pressure Line. Hydraunic Filting — 90" Elbow Hydraufic Fitting — 90' Elbow Hydraulic Fitting — Straight ... Hydraulic Fitting - Straight. Power Steering Return Line... Hex Nut, 5/16-18 Nytock ... Hydraulic Hose --- Return Hex Nut, 1/4-20 Nylock Lock Washer, #8 Veutral Owitch Mount.. Neutral Seriory Switch Hex Nut, 8-32 Nytock Keeper, Seat Spring /erve Control Panel Seat Switch Mount.. Flat Washer, 1/4 Lock Washer, 378. Flat Washer, 378 Shaft Coffer, 1/2" Panel Spacer Ball Bearing /alve Bank... Seet Spring 025218 011438 012157 012158 011436 012495 082528 012460 011437 02525 012073 012134 912154 012152 052003 011462 012164 912069 012078 019415 085259 025302 022010 02586.5 012165 025184 025024 012070 958060 012294 012058 095232 012162 025260 012506 068351 053841 012577 012094 के क **注前击**点




Hydraulics: Power Steering Tubing — Parts List


		Burger of Archites dealing remind	3
£	LESCO		<u>\$</u>
Š	Š	Description	Used
₩.	012285	Hydraulic Fitting — 45° Etbow	2
N	041086	Hydraulic Hosa — Steering Cylinder, Right	-
ന	048666	Hydraulic Hose - Steering Cylinder, Left	***
4	012070	Hydraulic Fitting — 90° Sweep	4
ស	022010	Power Steering Return Line, Short	+
9	019415	Hydraulk Fitting — Straight	
7	049704	Bracket, Hydraulic Line	1
ω	025540	Hydraulic Une Hold-Down — Power Steering, Rear	1
σ	011461	Machine Scraw, 10-24 x 1-1/2 Rd. Hd.	9
5	006194	Hax Nut, 10-24 Nylock	9
	025335	Hydraulic Line Hold-Down Power Steering	е
12	089532	Power Stearing Return Line	¥
<u>e</u>	089191	Power Steering Pressure Line	4-
14	050571	Right Stearing Cylinder Line	-
5	059210	Left Steering Cylinder Line	¥
91	012189	Cap Screw, 1/4-20 x 1-3/4 Hex Hd.	2
17	012152	Hax Nut, 1/4-20 Nylock	2
18	025119	Hydraulic Line Bracket, Three Hole	1
19	016771	Flat Washer, 3/16	8
ଯ	012175	24 x 1-1/4 Fld. H	2
73	033121	Hydraulic Hose — Power Steering Pressure	7
ង	047831	Hydraulic Hose — Power Steering Return	-
R	029325	Hydraulic Hose — Right Steating	***
75	046843	Hydraulic Hose - Left Steering	Ţ
ĸ	012055	Hydraulic Fitting — Straight	C1
8	012078	Hydraulic Fitting — 90° Expow	2




No. Description Used	Hydraulic Fitting — 90° Etbow	Hose - Helum, Hear wheel Motor	Flat Washer, 3/161	Hydraulic Line Hold-Down, Rear Wheel Motor	Rear Wheel Motor Pressure Line Rear Wheel Motor Pressure Line	Hydraulic Fitting — Union 4	3	Speed Control Vaive Pressure Line, Long1	Hydraulic Fitting — Cross 1	Rear Wheel Motor Return Line, Valve End	Hydraulic Fitting — 90° Sweep7	Short Traction Pressure Line1	Traction Motor Pressure Line1	Flow Divider, Post-Traction1	Hydraulic Fitting — Straight5	_	Traction Motor Pressure Line, Short	Left Wheel Motor Pressure Line	Hydraulic Fitting — 45° Elbow	Left Wheel Mator Return Line	Front Wheel Motor Return Line1	Right Wheel Mator Pressure Line, Matar End	Right Wheel Motor Return Line 1	Hydraulic Fitting — Tee1	Speed Control Vaive Return Line, Long	Hydraulic Fitting — 90° Elbow	Hydraulic Fitting — Straight	E	Hydraulic Fitting — Tee	Hydraulic Fitting — 90° Etbow1	Long Traction Pressure Line1
LESCO No.	012503	011461	016771	025446	043582	046468	050552	038218	030109	033582	033011	025592	025582	019001	012056	069121	033713	025595	012069	025671	025327	025320	025321	012067	065779	012077	035769	065819	011351	012049	085395
Ref.	- 01	υ 4	2	4 00	~ 00	O)	1 0		12	5	7	ŧ	16	7	\$	1 0	20	73	ន	ន	24	52	8	27	88	প্ত	ଚ	હ	35	8	8



No. Used			4				g	**************************************	rvi				1	N			/alve-Out		44	enter Cylinder, Left Lock	0		Center Cylinder2		Part		72	***		2				11	Tepped 1/8 MPT1	
Description	Hose Pump to Valve Bank, Rear Reels	Hydraulic Filting — Straight	Hydraulic Fitting - Too	Hydraulic Fitting — Flow Restrictor (.073)	Hydraulic Fitting 90-Degree Elbow	Bypass Line	Hydraulic Fitting — Straight	Hose Pressure, Center Reel Molor	Hydraulic Fitting - Tee	Hydraulic Fitting 90-Degree Elbow	Hydraulic Fitting - Straight	Hose - Lift, Right Front Cylinder	Lift Cylinder — Lift Line	Hydraulic Fitting Tee	Hose - Lift, Left Front Cylinder	Hydraulic Fitting — 45-Degree Elbow	Hose - Down, Left Cylinders; Left Lock Valve-Out	Liff Cylinder - Down Line	Hydraulic Fitting - 90-Degree Sweep	Hose — Down, Right Cylinders; Lift, Center Cylinder, Left Lock	Valve—in	Hose — Lift, Left Rear Cylinder	Hose — Lill, Right Rear Cylinder, Down, Center Cylinder	Hydraulic Fitting Tee	3 Gang/5 Gang Valve	Bracket, 3 Gang/5 Gang Valve	Machine Screw, 8-32 x 3/4 Rd, Hd	Lock Washer, 9/16	Hydraulic Fitting Straight, Bulkhead	Hex Nut, 8-32 Nylock	Hose - Lift, Rear Cylinder	Hydraulic Fitting — Flow Restrictor (.125)	Hydraulic Filting — Reducer	Hydraulic Fitting — Flow Restrictor (.125)	Hydraulic Fitting — 90-Degree Elbow —	Hydraulic Fitting Straight
LESCO No.	017762	012055	016863	028665	071492	070572	012073	072248	012387	012061	012286	025607	078744	012065	025613	012285	025614	039775	012070	025615		025616	025617	058154	079881	025509	012162	034325	053868	012164	025618	069617	070993	069613	072431	071866
₹	-	rų	r>	4	វា	9	^	m	Ø	F	Š	13	14	15	16	17	18	19	8	7		ដ	ĸ	24	Ю	58	27	28	23	30	8	S	ន	¥	33	9



		:					-	N	-		::	:::	::	2	2	+	::	. 5	:	:	2	:	ž		:::			::		23	:	:	::	:	:
Hydraulic Filling—Silaigni	Hose - Pump to Valve Bank, Rear Reels	Hose Pump to Valve Bank, Front Reels	Hose—Pump to Swing Vaive	Hydraulic Fitting-Tee	Hydraulic Fitting—Flow Restrictor (.078)	Hydraulic Fitting—Straight	Swing Arm Valve	Hydraulio Filting—Straight	Hose Pressure, Swing Valve to Valve Bank	Hydraulic Fitting-Straight	Hydraulic Fitting-Tee	Swing Line-Out	Swing Lina-in	Machine Screw, 10-24 x 1-1/2 Rd. Hd	Flat Washer, 3/16	Hydraulic Line Hold-Down, Swing Lines	Hydraulic Line Bracket, 3-Hole	Hax Nut, 10-24 Nylock	Cap Scraw, 1/4-20 x 3/4 Hex Hd	Flat Washer, 1/4	Hydraulic Fitting-90-Degree Sweep	Hose—Down, Left Cylinders; Left Positive Lock Valve, Out	Hose	Hydraulic Filting-90-Degree Elbow, Long	Hydraulic Fitting-90-Degree Elbow	Positive Lock Valve	Hydraulic Filting-Straight	Hosa-Left Swing Cylinder, In	Hose—Left Swing Cylinder, Out; Right Swing Cylinder, Out	Swing Arm Cylinder	Hydraulic Fitting45-Degree Elbow	Hose-Right Positive Lock Valve, Out	Hose-Right Positive Lock Valve, In	Hose—Right Swing Cylinder, In	Clara
017762		058570	074822	012387	011996	012270	025474	018634	060895	012055	016863	096327	053406	011481	016771	025334	025119	012581	012134	012154	012070	025614	025615	018974	012081	025449	012286	025632	025639	025551	012285	085781	076921	025631	31002
N		e	4	ďΩ	9	۲.,	æ	5	5	=	72	5	7	ŧ	16	17	8	5	R	K	ĸ	ន	54	ĸ	8	27	R	R	8	£	H	8	34	8	8



/drau	ılics:	/draulics: Reel Motor System - Pai	ts List		Parts List Electrical Components - Parts List
					(not shown)
No.	LESCO		No.		LESCO No Description
-	012288	ittino Straight	1 17	į	
e	012503	Ś	9	1	087474 Posl-Traction Switch Extension
C)	025652	Hose-Return, Right Rear Reel		1	
4	025653	Hose Pressure, Right Rear Real	-	ı	014890 Plug-In Fuse, 30-апр 1
un	012629	Cap Screw, 1/4-20 x 2-1/4 Hex Hd		ı	
4 5	025445	Hydraufic Line Hold-Down, Right Rear Real	-	1	
r ~	012152	Hex Nut, 1/4-20 Nylock		ı	014556 Engine Temperature Sending Unit
8	017462	Pressure Line, Alght Rear Real	-		·
CT:	085529	Return Line, Right Rear Roel			`
₽	012052	Hydraulic Fitting90-Degree Elbow	rə :		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	058557	Hydraulic Fitting—Tee	. 2		
2 :	034704	Helum Line, Lett Hear Reel.	•··· (7
2 ;	042074	Nydraulic Filling - 90-Degree Sweep	N		•
7 !	012070	Hydraulic Filling-90-Degree Sweep	63		
15	090946	Flow Divider, Reel	~		
16	054816	Hose Return, Left Rear Roef	- :		
17	056538	Hose Pressure, Left Rear Reel	-		
82	012051	Hydraulic Fifting - 90-Degree Elbow, Long	~		
18	072431	Hydraulic Filling - 90Decree Fibrow, Tenned 1/8 MPT	1 		
2	071868	Yearson for this and Arabah	- -		
3 8	2000	Description of the state of the	- 1		
7 8	201100	rear rear reasons (reasons to the reasons to the re	,		
3 :	500071	Hear Heel Heturn Line	-		
R	012073	Hydraulic Fitting—Straight	C4 :		
24	012426	Hydraulic Fitting—Straight	-		
83	025301	Hose Return, Center Reel	-		
83	072248	Hose-Pressure, Center Real			
23	060807	Clamp, Support, 3/8 Tubing.			
R	025443	Center Reel Pressure Line	· -		
83	012528	Hydraulic Fitting - 90-Dagres Elbow			
8	012053	Hydraulic Fitting90-Degree Fibow			
9	025448	Front Beel Pressure in the			
32	025655	Front Meet Return in a			
H	025659	Tosa Batter Hight Resides.			
5 2	02585D	More Descripting Dieth Resident Committee	- -		
5 %	012170	Can Creek 616, 10 v 214 Lav La	 :		
3 8	015170	Capacies, a lorio x de nex no.			
R	012169	Flat Washer, 5/16	,		
37	031081	Clamp, Support, 1/2 Tubing	-		
38	025470	Une Bracket, Right Front			
33	012165	Hex Nul. 5/16-18 Nylock			
40	025338	Hydraulic Line Hold-Down Left Front Boal			
41	016771	Flat Washer 3/16			
75	012175	Machine Screw, 10/24 x 1-1/4 Rd Nd	- •		
ā	025656	Relate to the Freet Nest	- -		
} ¥	025657	Opening the Lot Marie Days			
, u	053483	Loss Dates Lail Field Abbit	··· ,		
99	025291	Hose Deserte 1 of Brost Bool			
?		tigget Figgetis, belt Fight Moditions statement and all all and all all and all all and all all and all and all and all and all and al	-		

LESCO, Inc.

EQUIPMENT ONE-YEAR WARRANTY

- I. What Is Covered By This Warranty. LESCO, Inc. warrants, to the original purchaser only, that the Equipment that is the subject of this sale (a) conforms to LESCO's published specifications, and (b) is free from defects under normal service, for a one-year period from the original date of delivery. This warranty does not include damage to the Equipment resulting from occurrences set forth hereinafter in (2). If the purchaser discovers within this period a failure of the Equipment to conform to specifications or a defect in material or workmanship, they must promptly notify LESCO in writing of such claim. Any claims under this warranty must be received in writing by LESCO within 13 months from the date of original delivery. Within a reasonable time after such notification, LESCO will replace any defective component of the Equipment or part thereof. LESCO will provide the components or parts at LESCO's expense. Labor is to be performed by the original purchaser. (LESCO will provide purchaser a labor allowance at LESCO's current flat rate schedule.) LESCO will make the final determination as to the amount of hours to be reimbursed to the purchaser for labor-All defective parts shall be returned to LESCO if requested. These remedies are the original purchaser's exclusive remedies for breach of warranty.
- 2. What Is Not Covered By This Warranty. LESCO does not warrant (a) any product, components or parts not manufactured by LESCO; (b) defects caused by failure to provide a suitable installation environment for the Equipment; (c) damage caused by use of the Equipment for purposes other than those for which it was designed; (d) damage caused by accident or disasters such as fire, flood, wind and lightning; (e) damage caused by unauthorized attachments or modification; or (f) any other abuse or misuse of the Equipment.
- 3. EXCLUSIVE WARRANTY. THE FOREGOING WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WAR-RANTIES OR REMEDIES, WHETHER WRITTEN, ORAL OR IMPLIED. ANY AND ALL IMPLIED WARRANTIES OF MER-CHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF DEALING OR USAGE OF TRADE ARE HEREBY EXPRESSLY DISCLAIMED AND EXCLUDED.
- 4. LIMITATION OF REMEDIES. UNDER NO CIRCUMSTANCES, EXCEPT TO THE EXTENT PROHIBITED BY AP-PLICABLE LAW, SHALL LESCO BE LIABLE FOR ANY LOSS OR DAMAGE, DIRECT OR INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL ARISING OUT OF THE USE OF OR INABILITY TO USE THIS EQUIPMENT INCLUDING BUT NOT LIMITED TO ANY CLAIM FOR LOSS OF PROFITS, LOSS OF SAVINGS OR REVENUE, LOSS OF USE OF THE EQUIPMENT OR ANY ASSOCIATED EQUIPMENT, FACILITIES OR SERVICE, DOWNTIME, THE CLAIMS OR COSTS OF THIRD PARTIES INCLUDING CUSTOMERS, AND INJURY TO PROPERTY.

Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

- 5. Time Limit For Claims. Any claim for breach of warranty or claims under this warranty must be received by LESCO within 13 months following delivery of the equipment.
- 6. No Other Warranties. Unless modified in writing signed by both parties, this agreement is understood to be the complete and exclusive agreement between the parties, superceding all prior agreements, or all or written, and all other communications between the parties relating to the subject matter of this agreement. No employee or representative of LESCO or any other party is authorized to make any other Warranty or to assume any other liability in connection with the sale of its Equipment.
- 7. Future Changes. LESCO reserves the right to reserve, change or modify the construction and design of its Equipment or any component part or parts thereof without incurring the obligations to make such changes or modifications in present equipment.
- 8. Allocation Of Risks. This agreement allocates the risks of equipment failure between LESCO and the original purchaser. This allocation is recognized by both parties and is reflected in the price of the goods, THE PURCHASER ACKNOWLEDGES THAT IT HAS READ THIS AGREEMENT, UNDERSTANDS IT, AND IS BOUND BY ITS TERMS.

If during the warranty period, the LESCO equipment does not function properly due to defect, simply contact the LESCO Service Department:

LESCO, Inc.

(216) 333-9250 Cleveland

Service Department

(800) 825-3726 Toll Free

P.O. Box 16915 Rocky River, OH 44116

HOW TO ORDER PARTS

Contact your LESCO Salesperson, OR phone us (use the numbers above), OR write us (use the address above). We will need the following information:

- 1. Your account number if available.
- 2. Your name and address and the address where you want the parts to be shipped.
- The Model/Serial No. of the equipment.
- 4. The LESCO Part No. and the quantity desired. (Please do not use reference numbers.)

NOTE: Inspect all shipments on receipt for damage or missing parts. File a claim with the carrier before accepting a damaged shipment.

0291.568PI



